





Medium Light PeliLite™

1800

This one is built to last. The unbreakable ABS body resists chemicals, water and corrosion. The polycarbonate lens and focused Xenon lamp module produce a tight white beam that penetrates smoke and fog. The PeliLite flashlight is submersible, thanks to the o-ring seal and twist-on shroud that eliminates leaky switches. It is powered by 2 C akaline cells

- Built Pelican tough
- Unconditional Lifetime Guarantee of Excellence
- Submersible
- Super bright Xenon beam

CONFIGURATIONS

1800 - Standard

DIMENSIONS

Length: 6.00"

MATERIALS

Body: ABS

O-Ring: Ethylene Propylene **Lens**: Polycarbonate (PC)

Shroud: K-Resin

Contact Spring Retainer: Stainless Steel

COLORS







Black

LIGHT SPECS

Lamp Type: Incandescent (Xenon)

FL1 STANDARD	HIGH
314	21 LUMENS
	7h 0mins
	131m
	4370cd
The	IPX7

POWER

Battery Size: C

Battery Type: Alkaline **Battery Quantity**: 2

Volts: 3.0v

WEIGHT

Weight With Batteries: 7.8 oz Weight Without Batteries: 2.9 oz

Packaged Weight: 3.8 oz

SWITCH

Switch Type: Twisting Lens Shroud

Light Modes: On / Off

CERTIFICATIONS

Class I, Division 2 Class II, Division 2

OTHER

Submersible: yes

Minimum Pack: 6 Military: yes Package Code: C

Pelican Products, Inc.

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311 <u>sales@pelican.com</u> • <u>www.pelican.com</u>