



2000PL

Medium Light

SabreLite™



Same features as the SabreLite™ 2000 Flashlight but outfitted with a lens ring that emits a bright glow in the dark. The new generation photoluminescent material in the plastic absorbs the energy from any light source - fluorescent lights, the sun, or even the flashlight's own beam. No more fumbling in the dark for your flashlight. It is powered by 3 C alkaline cells, submersible, and has an ABS resin body which resists chemicals, corrosion, and extreme temperatures.

- Built Pelican tough
- Unconditional Lifetime Guarantee of Excellence
- Glow-in-the-dark shroud
- Submersible
- Super bright Xenon beam

CONFIGURATIONS

2000PL - Standard

DIMENSIONS

Length: 7.79"

MATERIALS

Body: EXL

O-Ring: Ethylene Propylene

Lens: Nylon

Shroud: Photo luminescent Polycarbonate (PC)

Clip: ABS

Contact Spring Retainer: Stainless Steel






COLORS



Yellow

LIGHT SPECS

Lamp Type: Incandescent (Xenon)

| FL1 STANDARD | HIGH |
|--|--------------|
|  | 53 LUMENS |
|  | 5h 0mins |
|  | 158m |
|  | 6234cd |
|  | IPX7 |

POWER

Battery Size: C
Battery Type: Alkaline
Battery Quantity: 3
Volts: 4.5v

WEIGHT

Weight With Batteries: 12.8 oz
Weight Without Batteries: 5.3 oz
Packaged Weight: 6.8 oz

SWITCH

Switch Type: Twisting Lens Shroud
Light Modes: On / Off

CERTIFICATIONS

Class II, Division 2
Class I, Division 1
IECEX ib

OTHER

Submersible: yes

Minimum Pack: 6

Package Code: C

Pelican Products, Inc.

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311
sales@pelican.com • www.pelican.com