



8040 Tactical Flashlight M10



The Pelican M10™ Flashlight uses a high-pressure Xenon fired lamp module that produces a powerful, bright, high intensity light. Unlike other flashlights that project a broad yellow beam, the M10™ produces a tight white pre-focused beam. It comes with a polarity guard tray that makes operating the flashlight impossible if cells are inverted and prevents dangerous outgassing. The light weight Xenoy body with sure-grip sheath resists chemicals and prevents slippage. The push button switch operates easily, even when wearing thick gloves. The M10™ 8040 is built tough to withstand the hard knocks that come in the plant, around the beat or on patrol. Powered by 4 C alkaline cells.

- Built Pelican tough
- Unconditional Lifetime Guarantee of Excellence
- Super bright Xenon beam

CONFIGURATIONS

8040 - Standard

DIMENSIONS

Length: 11.25"

MATERIALS

Body: Xenoy


O-Ring: Ethylene Propylene

Lens: Polycarbonate (PC)


Shroud: Xenoy

Contact Spring Retainer: Stainless Steel

COLORS








Yellow



Black

LIGHT SPECS

Lamp Type: Incandescent (Xenon)

FL1 STANDARD	HIGH
	67 LUMENS
	5h 15mins
	198m
	9820cd
	IPX4

POWER

Battery Size: C
Battery Type: Alkaline
Battery Quantity: 4
Volts: 6.0v

WEIGHT

Weight With Batteries: 18.4 oz
Weight Without Batteries: 11.0 oz
Packaged Weight: 10.7 oz

SWITCH

Switch Type: Push Button
Light Modes: On / Off

CERTIFICATIONS

Class I, Division 2
Class II, Division 2

Class III, Division 2
IECEX ib

OTHER

Minimum Pack: 1

Military: yes

Package Code: B

Pelican Products, Inc.

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311
sales@pelican.com • www.pelican.com