

## 9415

## Large Light



#### 9410L + SAFETY = 9415

**Everything that's great about the 9410L LED Lantern, plus safety certifications** 

At just 3 pounds and 413\* lumens, the new 9415 LED Lantern packs the power without the weight. Four LEDs, powered by the latest generation Ni-MH batteries illuminate a distance of 360 yards (325\* meters). And it's loaded with innovative technology and features you have come to expect from Pelican.

Safety approved for the most volatile work areas, the 9415 LED Lantern is safe and one of the most compact, high output lanterns on the market.

**9415 LED Lantern:** Lightweight, big LED performance you can trust.

\*Performance data is to FL 1 standards

#### **CONFIGURATIONS**

9415 - Standard

#### **DIMENSIONS**

Length: 8.75"

#### **MATERIALS**

**Body**: ABS **O-Ring**: EPDM

Lens: Polycarbonate (PC)

Shroud: EXL

#### COLORS



# LIGHT SPECS

Lamp Type: LED

FL1 STANDARD	HIGH	LOW
314	413 LUMENS	159 LUMENS
	4h 30mins	12h 0mins
	325m	201m
	26352cd	10076cd
	IPX4	

# POWER

Battery Size: C Battery Type: NiMH Battery Quantity: 4 Batteries Included: yes Charge Time: 330.00 mins

Battery Level Indicator: RGB LED

**Volts**: 4.8v

#### WFIGHT

Weight With Batteries: 49.3 oz Weight Without Batteries: 0.0 oz

## **SWITCH**

Switch Type: Push Button

Light Modes: High / Low / Flashing

# CERTIFICATIONS

Class I, Division 1

# OTHER

Minimum Pack: 1 Package Code: B

#### Pelican Products, Inc.

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311 <u>sales@pelican.com</u> • <u>www.pelican.com</u>